



SevernSide Integrated Urgent Care

Referring from OOHs to Community Pharmacy - Pharmacy First

Version:	Owner:	Created:
1.1	Lucy Grinnell (Head of IUC)	Sept 2024
Published:	Approving Director:	Next Review
14/11/2025	Kathy Ryan (Medical Director.)	21.11.2025

Contents

Purpose	3
Pharmacy First Criteria	
The Standard Operating Procedure	
Case selection	3
Referral to Pharmacy First	
Pharmacy First Considerations	4
Training	5
Governance	5
Appendicies	6
Appendix One - Pharmacy First Pharmacies	
Appendix Two - National Criteria	8
Appendix Three - Process flow chart	
Appendix Four – Referring a patient on PharmRefer	
Tables	



Purpose

The purpose of the SOP describes the process for formally referring patients from the Severnside IUC advice queue in the out-of-hours period to a community pharmacy as part of Pharmacy First (formally NHS Community Pharmacy Consultation Service).

Pharmacy First was launched by NHS England to facilitate same or next day appointments with community pharmacists for minor illness or for an urgent supply of regular medicine. More information can be found here.

Pharmacy First referrals are already being used in BNSSG by care navigators in General Practice, receptionists at Minor Injuries Units /Urgent Treatment Centres and from the Emergency Departments.

During periods of high demand, when Severnside is experiencing long patient waits and increased clinical risk, this process can formally direct patients of low acuity to the most appropriate place for their care. This in turn may contribute to reducing the number of patients in the advice queue, reduce patient waits (for those referred and those remaining), and as a consequence reduce the level of clinical risk.

See flow chart of whole process – Appendix Three.

Pharmacy First Criteria

- BNSSG criteria for antibiotic treatment https://remedy.bnssg.icb.nhs.uk/media/nfifonpc/bnssg-updated-june-24-aide-memoire-pharmacy-first.pdf
- National Criteria for NHS Community Pharmacist Consultation Service (CPCS) for patients aged over 1 year - nhs-conditions.pdf (icb.nhs.uk)
- 6/12/24 hours cases
- Pharmacy referral must be able to be managed within the NHS111 timeframe
- Patient must be able to travel to a pharmacy
- Cases from NHS111 and not from HCPs
- Patient consent to a pharmacy referral

The Standard Operating Procedure

Case selection

Appropriate cases for Pharmacy First referral will be identified by the Clinical Navigator (CN) using the criteria above. Once identified, the CN will add a Pharmacy First tag to the case.

Referral to Pharmacy First

All cases with a Pharmacy First tag will be managed by the Operational Team. The nominated operational team member will call the patient to advise their case has been identified as appropriate for Pharmacy First using the below script and:

· check if the patient is in agreement, and



- advise the patient they will be called back by the pharmacist, assuring the patient if there
 is any issue the pharmacist can refer them directly back to us without the patient going
 back through NHS111
- do not give an estimated time of call back from the pharmacy

Call script

"I'm a call handler from Severnside Urgent Care service calling following your contact with NHS111. One of our clinicians has reviewed your case and thinks it would be appropriate to pass your case to a community pharmacist to call you back. This means we will electronically send your details to the pharmacist, and they will call you back within the time frame recommended when you called 111. It is likely your case with be dealt with more quickly that way. If the pharmacist has any problems in sorting things out for you, they can refer straight back to us. Is that OK with you?

If anything changes or worsens between now and when the pharmacist calls, please call back via 111"

Using Pharmacy First Software

If the patient agrees to the community pharmacy referral the operational team member will:

- 1. Check all the demographics particularly telephone numbers are correct with the patient
- 2. Following the call with the patient send the referral to the pharmacy via PharmRefer (see Appendix Four)
- 3. In Cleo:
 - o Add a non-clinical note to the case to advise "Patient has agreed to be passed to a community pharmacist. Pharmacy referral made to XXXXX pharmacy" ensuring the correct pharmacy is added to the notes
 - o Close the case by selecting the 'complete' button, 'No clinical input required' and 'Pharmacy First' as the outcome

Patients who decline Pharmacy First

If the patient does not agree to the referral the operational team member will add a note using the 'Comfort Call' function and remove the 'Pharmacy First' tag and reinstating any previous tag.

Pharmacy First Considerations

Pharmacy First Time frames

Pharmacies will call all patients referred on the Pharmacy First system. Most referrals will be consulted over the phone and some patients depending on symptoms may be offered a face-to-face appointment.

The call-back to the patient will be the same day for morning referrals, and same day or next morning for referrals made during the afternoon.



Patient escalation

If during the consultation the Pharmacist feels the patient needs to be managed by a GP, Urgent Care or Hospital, this will then be escalated appropriately by the Pharmacist. In the instance of requiring Out of Hours GP care, the referral will be made to SevernSide by calling the Professional Line 0117 92448293 as per usual process.

Failed contacts

Once the patient is passed to the community pharmacy the Pharmacist will try to call the patient. If this results in a failed contact of the patient, the Pharmacist will use their clinical judgement and follow their local policy for failed contacts.

Patient Notes following a Pharmacy First Consultation

Similar to IUC Post Event Messages, Pharmacy First will have their own process of electronically notifying the Patient's own GP of the clinical consultation.

Pharmacy First Safety Netting

Pharmacy First will provide appropriate safety netting, and one possible scenario is for the patient to ring NHS111.

Training

All Clinical Navigators to receive an overview of process and step by step instructions on case selection. All Operational staff will receive training on the IT system and referral process.

Governance

The standard clinical governance processes such as learning events and complaints will be implemented for the process of Pharmacy First while patients are within our care.

The ICB will be reporting Pharmacy First data monthly which will initially be done via monthly meetings between the ICB and Clinical Lead and Operational Lead leading on Pharmacy First. In the longer term, the data will be scrutinised in SevernSide SDIP Group and Quality Group.







Appendicies

Appendix One - Pharmacy First Pharmacies

	Pharmacy Name	Pharmacy Address				Post code	Phone	Shared NHS mail address	Opening hours	Saturdays	Sundays
Bristol Asda (BEDMINS	Asda (BEDMINSTER)	East Street	Bedminster	Bristol		BS3 4JY	0117 300 4210	pharmacy.fnw08@nhs.net	9.00- 12.30, 13.00- 16.30 and 17.00-21.00	9.00- 12.30, 13.00- 16.30 and 17.00- 21.00	Sun 10.00- 16.00
	Asda (Whitchurch)	Oastlands Avenue	Bristol			BS14 OST	01275 894610	pharmacy.frd73@nhs.net	9.00- 12.30, 13.00- 16.30 and 17.00-21.00	9.00- 12.30, 13.00- 16.30 and 17.00- 21.00	Sun 10.00- 16.00
	Boots UK Ltd - Broadmead	59 Broadmead		Bristol		BS1 3ED	0117 9293631	pharmacy.flq56@nhs.net	9.00-18.00	9.00-18.00	Sun 11- 17.00
	Boots Imperial	Imperial Park	Hartcliffe Way	Bristol		BS13 7TJ	0117 9642197	pharmacy.fnk97@nhs.net	09.0020.00 Sat 11.00-17.00 Sun	9.00-19.00	Sun 10.30- 16.30
	Pharmacy	Whitchurch Health Centre	Armada Road, Whitchurch	Bristol		BS14 0SU	01275 839865	pharmacy.fnd81@nhs.net	9.30-18.30	9.00-17.00	Sun CLOSED
	and Night	192 Stapleton Road	Easton	Bristol		BS5 0NY	0117 3290672	pharmacy.fg520@nhs.net	9.00-21.00	9.00-21.00	Sun 9- 22.00
	Hengrove Pharmacy	9 The Parade	Hengrove	Bristol		BS14 9DB	0117 3005446	pharmacy.fpq26@nhs.net	9.00-18.00	9.00-13.00	Sun CLOSED
	Tesco Instore Pharmacy - Eastville	The Eastgate Centre		Eastville	Bristol	BS5 6XU	0117 9511156	pharmacy.fg915@nhs.net	8.00 - 20.00	8.00 - 20.00	Sun 10.00- 16.00
North Somerset	Boots Locking Castle	Unit 2 Castle D/Trict Ctr	Summer Lane	Weston Super Mare		BS24 7AY	01934 525048	pharmacy.frp15@nhs.net	8.00 - 21.00	8.00 - 21.00	Sun 10.00- 16.00
	Milton Pharmacy	260 Milton Road		Weston- Super- Mare		BS22 8EN	01934 413100	pharmacy.fpr03@nhs.net	8.00 -22.00 Mon - Thurs 8.00 -21.00 Fridays	8.00- 13.00	Sun CLOSED

9.00-13.30 14.30- 18.00 09.00 - noon	Sun 10.00- 16.00 Sun
	Sun
noon	
	CLOSED
	Sun
14.00-	10.00-
20.00	16.00
8.00-21.00	Sun
	CLOSED
9.00-	Sun
17.30	CLOSED
10.00-	11-
16.00	15.00
9.00-	10.30-
21.00	16.30
9.00-13.00	Sun
	CLOSED
9.00-	Sun
21.00	10.00-
	16.00
Sat Closed	Sun
	CLOSED
	9.00- 17.30 10.00- 17.30 10.00- 16.00 9.00- 21.00 9.00- 21.00



Appendix Two - National Criteria

NHS Community Pharmacist Consultation Service (CPCS)

Service suitability

The service is only for patients aged over 1 year.



CONDITIONS	What conditions are	SUITABLE for referra	Do NOT refer in these circumstances		
BITES / STINGS	Bee sting Wasp sting	•Stings with minor redness	•Stings with minor swelling	•Drowsy / fever •Fast heart rate	•Severe swellings or cramps
COLDS	•Cold sores •Coughs	•Flu-like symptoms	•Sore throat	Lasted +3 weeksShortness of breath	•Chest pain •Unable to swallow
CONGESTION	•Blocked or runny nose	Constant need to clear their throat	•Excess mucus •Hay fever	Lasted +3 weeksShortness of breath	•1 side obstruction •Facial swelling
EAR	•Earache	•Ear wax •Blocked ear	•Hearing problems	Something may be in the ear canal Discharge	•Severe pain. •Deafness •Vertigo
EYE	Conjunctivitis Dry/sore tired eyes Eye, red or Irritable	•Eye, sticky •Eyelid problems	•Watery / runny eyes	•Severe pain •Pain 1 side only	•Light sensitivity •Reduced vision
GASTRIC / BOWEL	Constipation Diarrhoea Infant colic	•Heartburn •Indigestion	HaemorrhoidsRectal pain,Vomiting or nausea	•Severe / on-going •Lasted +6 weeks	•Patient +55 years •Blood / Weight loss
GENERAL	•Hay fever	 Sleep difficulties 	•Tiredness	•Severe / on-going	
GYNAE / THRUSH	Cystitis Vaginal discharge	•Vaginal itch or sorenes	s	•Diabetic / Pregnant •Under 16 / over 60 •Unexplained bleeding	Pharmacy treatment not worked Had thrush 2x in last 6 months
PAIN	Acute pain Ankle or foot pain Headache Hip pain or swelling Knee or leg pain	Lower back pain Lower limb pain Migraine Shoulder pain	•Sprains and strains •Thigh or buttock pain •Wrist, hand or finger pain	Condition described as severe or urgent Conditions have been on- going for +3 weeks	Chest pain / pain radiating into the shoulder Pharmacy treatment not worked Sudden onset
SKIN	Acne, spots and pimples Athlete's foot Blisters on foot Dermatitis / dry skin Hair loss	Hay fever Nappy rash Oral thrush Rash - allergy Ringworm/ threadworm	Scabies Skin dressings Skin rash Warts/verrucae Wound problems	Condition described as severe or urgent Conditions have been ongoing for +3 weeks	Pharmacy treatment not worked Skin lesions / blisters with discharge Diabetes related?
MOUTH / THROAT	•Cold sore blisters •Flu-like symptoms •Hoarseness	•Mouth ulcers •Sore mouth •Sore throat	•Oral thrush •Teething •Toothache	Lasted +10 days Swollen painful gums Sores inside mouth	 Unable to swallow Patient has poor immune system Voice change
SWELLING	•Ankle or foot swelling •Lower limb swelling	•Thigh or buttock swelling •Toe pain or swelling	•Wrist, hand or finger swelling	Condition described as severe or urgent Condition ongoing for +3 weeks	Discolouration to skin Pharmacy treatment not worked Recent travel abroad

Ver 1.6 NHS England, July 2019.



Pharmacy First Aid Memoire - This Aid Memoire is to help you formally refer the correct individuals

Community Pharmacists can, if appropriate, supply antibiotics for the following 7 conditions UTI's, Impetigo, Acute Sore Throat, Shingles, Infected Insect Bite, Acute Sinusitis and Acute Otitis Media in children 1-17.

Locally pharmacists can also see appropriate individuals with skin conditions, Bactetial eye infectiosn and Otitis Externa

Conditions	What conditions are SUITABLE for referral to		Do NOT refer in these circumstances			
	pharmacists					
UTIs	Female	16 to 64	Under 16 or 65 or over	-Immunocompromised		
			Male	- Recurrent UTI's (2 in last 6 months/3 in last 12 months)		
			Pregnant	- UTI treated with antibiotics in last 3 months		
			Breastfeeding			
For UTI's	Has TWO or THREE	of the following	Has ONE or NONE of the follow	ring		
Ask individual	o Dysuria (Pai	nful or difficult urination)	o Dysuria (Painful or diffic	ult urination)		
whether they have	o New noctur	ia (New urination at night)	o New nocturia (New urin	ation at night)		
	o Urine cloud	y to the naked eye	o Urine cloudy to the nake	ed eye		
Impetigo	Adults & Children	Children aged 1 and over	Under 1's			
			Pregnant individuals under 16			
Acute Sore Throat	Adults & Children	Children aged 5 and over	Under 5's			
			Pregnant individuals under 16			
Shingles	Adults	18 and over	Under 18's	-Severely immunocompromised		
			Pregnant	-Shingles in the eye		
Infected Insect	Adults & Children	Children aged 1 and over	Under 1's			
Bites			Pregnant individuals under 16			
Acute Sinusitis	Adults & Children	Children aged 12 and over	Under 12's	-Chronic Sinusitis (had over 12 weeks)		
			Pregnant individuals under 16	- Immunocompromised		
Acute Otitis Media	Children	Children aged 1 to 17	Adults over 17	-Recurrent Acute Otitis Media (3 or more episodes in 6		
			Pregnant individuals under 16	months or 4 or more in 12 months)		
Otitis Externa	Adults & Children	Children aged 12 and over	Pregnant	Previous episode in last 3 months		
			Breastfeeding			
Bacterial Eye	Children	Children aged 31 days to	Under 31 days or over 2 years			
infection		under 2				
Skin conditions	Adults & Children	Children aged 1 to 10.	Under 1 year old			
Eczema and		Use on face in adults and	Over 10 years if NOT for use			
Dermatitis		children over 1 year	on face			

Updated June 24







Appendix Three - Process flow chart

Case lands in IUC Advice

'Pharmacy First' tag added by Clinical Navigator

Nominated ops team member calls patient to offer referral to pharmacy

Patient accepts referral

WaCC to confirm patient's contact telephone number

Add patient details to PharmRefer

In Cleo OLC screen select relevant drop down text and insert referral pharmacy

Finish case using informational outcome of 'ADMIN Pharmacy First Severnside referral'

Pharmacist calls patient

Pharmacist manages patient either over the phone or face to face

If Pharmacy is unable to manage patient refer patient as per usual process:

- Out of hours to Severnside using Professional Line 0117 2449283
- In hours Patient's own GP

Patient refuses PF referral


Add note in 'Comfort Call' screen

Remove the 'PharmFirst' tag and reinstating any previous tag

Appendix Four – Referring a patient on PharmRefer


Link to log into PharmRefer

- Log in using your username and password
- You will then be prompted for your six-digit security code
- Use the option to skip to referral details your team don't need to go through the triage questions as they will already have done this




The screen for entering patient details should look similar to this (below). Search for the
patient using their NHS number by selecting 'Search for a patient in PDS', then 'NHS
Number'.






Confirm if this is the correct patient or proceed without PDS



- Complete the remaining fields, including adding a three-word symptom summary of the reported condition in the **Additional Information** box.
- Select confirmation text for a test message to be sent to the patient



When all details are added select 'Send Referral'.



Tables

Version	Date	Author	Comments
Draft	Sep 2024	LG/RS	Document created
1	28.11.2024	LG	Document published
1.1	30/10/2025	RS	6 hour case dispositions included Adastra references replaced with Cleo
1.2	14/11/2025	RS	Cleo process update rectified



