

Guidance for Undertaking a Risk Assessment

A risk assessment is a careful examination of what could cause harm to people, the environment, the organisation etc., to enable a review of whether enough precautions are in place or whether more can and should be done to prevent harm.

BrisDoc has a legal responsibility to identify and categorise risks and either eliminate or reduce them to the "lowest level that is reasonably practicable".

The 5 steps in the risk assessment process are:

1. Identify the hazard
2. Decide who or what might be harmed and how
3. Evaluate the risks and take action to prevent them where possible
4. Record your findings on the Risk Assessment Form and communicate the risks and control measures to those who need to know, including adding details to the Risk Assessment Log
5. Review the assessment

The Overall Risk Score is the highest total number for an individual risk

The level of risk associated with each hazard is assessed in accordance with the Risk Scoring Matrix. This identifies both the severity of the hazard and its likelihood of occurrence. The aim of the risk scoring is to systematically establish relative priorities. The purpose of risk management is to determine what will be done and who will be responsible for the risks that have been identified. Risk management converts the risk assessment into an action plan.

It takes time to plan and implement change. A robust monitoring and review system is essential to ensure actions are followed through, and priorities are re-assessed, so that risk management is an ongoing process that is embedded into normal management processes. Ensure that when undertaking the assessment, the details of the date of the review and the people who will be undertaking the review are documented and this process is followed through.

Once complete, details of the Risk Assessment need to be included within the Risk Assessment Log and a headline added to the Risk Register via the brisdoc.governance@nhs.net.

Please use the second page of the template to gather details of the headline risk.

Risk Assessment

Risk Assessment Matrix

Severity/Consequence of event occurring

Description	Category	Risk to patient, staff, business
Catastrophic	5	Incident leading to death, non-delivery of business objectives, event which impacts on large number of patients/staff, multiple breeches to statutory duty, prosecution, national media coverage/total loss of public confidence, >25% over project budget/loss of >1% of budget, loss of contract, 1day loss of service.
Major	4	Major injury leading to long term incapacity, significant harm to patient, >14days off work, uncertain delivery of business objectives, enforcement action/multiple breeches of statutory duty, uncertain delivery of service due to lack of staff, national media coverage, 10-15% over project budget/loss of 0.5-1% of budget, >12hrs interruption to service.
Moderate	3	Moderate injury requiring professional intervention, some harm to patient, 4-14days off work, unsafe staffing level, single breach of statutory duty, local media coverage/long term reduction in public confidence, >8hrs interruption to service, 5-10% over project budget/0.25-0.5% loss of budget, late delivery of business objectives.
Minor	2	Minor injury, minimal harm to patient, low staffing reduces service quality, breach of statutory legislation, local media coverage/short-term reduction in public confidence, >1hr interruption to service, <5% over project budget/loss of 0.1-0.25% of budget, minor impact on business objectives, >3days off work.
Negligible	1	Minimal injury, no harm to patient, no time off work, no/slight impact on business objectives, insignificant cost increase/financial loss, rumours, <30mins interruption to service, <1 day shortage of staff, no/minimal breach of statutory duty.

Likelihood of event occurring

Almost certain	81% - 100% likelihood of occurrence	5	Will undoubtedly happen/recur, possibly frequently
Likely	51% - 80% likelihood of occurrence	4	Will probably happen/recur but is not a persisting issue
Possible	21% - 50% likelihood of occurrence	3	Might happen or recur occasionally
Unlikely	6% - 20% likelihood of occurrence	2	Do not expect it to happen/recur but possible it may do so
Rare	0% - 5% likelihood of occurrence	1	This will probably never happen

Score the risk

	Severity of Consequence					
Likelihood	Almost certain	5	10	15	20	25
	Likely	4	8	12	16	20
	Possible	3	6	9	12	15
	Unlikely	2	4	6	8	10
	Rare	1	2	3	4	5
		Negligible	Minor	Moderate	Major	Catastrophic

The risk score = severity x likelihood.

RISK ASSESSMENT FORM

Name of Assessor(s)	Stuart Burgess	Overall Risk Score			Date of Next Review
Date of Assessment	01/12/2025	4	2	8	01/12/2026
Title	Greenway Fire Safety Risk Assessment RA 89				
Risk Assessment ID	89	Severity	Likelihood	Total	

You must include details of any Risk Assessment in the Risk Assessment Log and add a headline to the Risk Register via brisdgc.governance@nhs.net. Please use the template on the next page to gather details of the headline risk.

Description of the Hazard <i>NB: Include what/who is at risk and justify score</i>	Existing Controls	Risk Score			Action taken	Residual Risk Score			Further Action Required	Timescale for Action
		Severity	Likelihood	Total		Severity	Likelihood	Total		
Ignition Sources 1 Electrical fan heaters 2 Electrical Equipment (microwave, kettles, computer, printers, extension leads, fax, franking machine) At risk - Staff /Patients/ Visitors/ Contractors	Annual PAT testing. Foam fire extinguishers on both floors. Fire alarm system. Fixed wiring inspection and certification to take place every 5 years. Last inspection unknown	4	2	8	Procedure for safe use of supplementary heating equipment. Fire/intruder alarm maintenance contract to be arranged Arrange fixed wiring inspection	4	2	8		
Fuel Sources 1 Cardboard & paper 2 Textiles (chair seating) 4 Wall covering	External recycle bins. Ensure that seating meets fire safety	4	2	8	Ensure boxes of stationery are put away in cupboards.	4	2	8		

RISK ASSESSMENT FORM

5 Toner 7 Aerosols At risk - Staff/ Patients/ Visitors/ Contractors	manufacturing standards. Stock control methods. Used toner to be recycled by supplier as soon as possible Foam fire extinguisher on each floor. Aerosol stored in Cleaning cupboard and Severnside store cupboard.				Ensure all deliveries are unpacked as soon as is practicably possible. Ensure cardboard removed to external bin as soon as possible. Clear paperwork and files stored under desks.					
<u>Oxygen Source</u> 1 Open windows 2 Open external doors 3 Oxygen cylinders At risk - Staff/ Patients/ Visitors/ Contractors	Fire Policy & Training.	4	2	8	The fire alarm panel instructions inform any fire officer of the possibility of the presence of an oxygen cylinder. Any oxygen cylinder is stored behind a fire door. The room has adequate ventilation and the appropriate warning certificate on the door.	4	2	8		
<u>Egress from the building</u> At risk - Staff/ Patients/ Visitors/ Contractors	Fire Policy & Training. All occupants of the building will evacuate immediately on hearing the alarm Where the fire is in the stairwell	4	2	8	Procedure for evacuation. Visitors always accompanied. Induction to the building for new starters. Door codes deactivate on the activation of fire alarm meaning exit possible through all doors.	4	2	8	Trained procedure for evacuation Good ground and first floor housekeeping.	Ongoing

RISK ASSESSMENT FORM

	preventing egress from the first floor "Disabled" people (crutch/stick users) or those who have PEEP in place				Directional fire exit signs. Fire drills carried out by daytime surgery					

Once you have completed the Risk Assessment, please provide details of the headline risk below, so that it can be added to the Risk Register

Date risk identified	Business Unit	Service	Risk Owner	Review Board	Description of the hazard	Existing Controls	Severity	Likelihood	Risk Score
30/06/2023		IUC			<u>Egress from the building</u>	Fire Policy & Training. All occupants of the building will evacuate immediately on hearing the alarm Where the fire is in the stairwell preventing egress from the first floor "Disabled" people (crutch/stick users) or those who have PEEP in place	4	2	8

RISK ASSESSMENT FORM

Action Taken	Severity	Likelihood	Residual Risk Score	Last Review Date	Further Action Required	Timescale for Action
Procedure for evacuation. Visitors always accompanied. Induction to the building for new starters. Door codes deactivate on the activation of fire alarm meaning exit possible through all doors. Directional fire exit signs. Fire drills carried out by daytime surgery	4	2	8	01/12/2025	Trained procedure for evacuation Good ground and first floor housekeeping.	Ongoing